

BOARD OF LIQUOR LICENSE COMMISSIONERS
OF BALTIMORE CITY

INSPECTOR'S REPORT

CORPORATE NAME / LICENSEE(S): UP of Inner Harbor MD, Inc.
 ADDRESS: Harborplace - 201 E. Pratt St.
 DISTRICT 2nd ZONE _____ CLASS LB
 INSPECTOR K. Brooks DATE 10-21-14 TIME 12:36pm

FOR EACH LICENSED PREMISE:		DINING ROOM	
EXTERNAL APPEARANCE	✓	CAPACITY	360
NAMES ON WINDOWS	✓	LOCATION	main's patio
LICENSE ON DISPLAY	✓	CONDITION	✓
CURRENT TRADER'S LICENSE	14	SANITATION	✓
ALCOHOL AWARENESS CERT. DATE ISSUED: <u>8-26-14</u>		MENU	✓
		KITCHEN	
EMPLOYEES	yes	LOCATION	rear
RULE BOOK	yes	CONDITION	✓
RESTRICTIONS	yes	HOT WATER	✓
INTERNAL APPEARANCE	✓	COOKING UTENSILS	✓
EXITS, MARKED, UNOBSTRUCTED	✓	STOVE	✓
CONDITION OF FLOORS	✓	REFRIDGERATOR	✓
BULLETPROOF PARTITIONING	0	STORAGE OF FOOD	✓
WHERE APPROPRIATE: KEGS / STICKERS	yes	TRASH CONTAINERS	✓
VIDEO OR PINBALL MACHINE	0	RESTROOMS	
LIVE ENTERTAINMENT	0	GENERAL CONDITION	✓
JUKE BOX	sound sys. 0	LOCATION	side
LOCATION OF BAR	center	SEPARATED	yes
SHAPE OF BAR		PROPERLY MARKED	✓
HOT WATER	✓	VENTILATION	✓
DISINFECTANT SOLUTION	✓	LIGHTING	✓
THREE COMPARTMENT SINK	✓	FUNCTIONING TOILET	✓
FAUCETS / DRAINBOARDS	✓	PROPER SEATS	✓
SEPARATE PKG. GOODS DEPT.	0	SINK	✓
SEPARATE PKG. GOODS STORE	0	HOT / COLD WATER	✓
SELLING HOUSEHOLD AND/OR GROCERY ITEMS	0	FLOORS / WALLS	✓

CODE: ✓ = SATISFACTORY X = UNSATISFACTORY 0 = NOT EXISTING IN ESTABLISHMENT


VIOLATIONS NOTED

None

INSTRUCTIONS GIVEN TO LICENSEE

print:

Gray Collins



 SIGNATURE OF LICENSEE OR MANAGER

NOTE

THE ORIGINAL OF THIS SHEET IS GIVEN TO YOU FOR YOUR INFORMATION AND INSTRUCTION. KEEP IT IN A HANDY PLACE UNTIL THE NEXT INSPECTION. INSTRUCTIONS GIVEN BY INSPECTOR SHOULD BE FOLLOWED AND CONDITIONS NOTED AS UNSATISFACTORY CORRECTED.

INSPECTOR'S REMARKS

Food Permit # 2091
 expires 6-12-15


 INSPECTOR

BOARD OF LIQUOR LICENSE COMMISSIONERS
OF BALTIMORE CITY

INSPECTOR'S REPORT

1210-25-4

CORPORATE NAME / LICENSEE(S): UP of Inner Harbor Maryland Inc

ADDRESS: Harborplace

DISTRICT 7 ZONE _____ CLASS LB

INSPECTOR F. S. C. E. R. DATE 11-19-14 TIME 4:00 PM

FOR EACH LICENSED PREMISE:		DINING ROOM	
EXTERNAL APPEARANCE	✓	CAPACITY	<u>240</u>
NAMES ON WINDOWS		LOCATION	<u>2ND Floor</u>
LICENSE ON DISPLAY	✓	CONDITION	✓
CURRENT TRADER'S LICENSE	<u>14</u>	SANITATION	✓
ALCOHOL AWARENESS CERT.		MENU	✓
DATE ISSUED: <u>08-26-14</u>		KITCHEN	
EMPLOYEES	✓	LOCATION	<u>center</u>
RULE BOOK		CONDITION	✓
RESTRICTIONS	✓	HOT WATER	✓
INTERNAL APPEARANCE	✓	COOKING UTENSILS	✓
EXITS, MARKED, UNOBSTRUCTED	✓	STOVE	✓
CONDITION OF FLOORS	✓	REFRIDGERATOR	✓
BULLETPROOF PARTITIONING	0	STORAGE OF FOOD	✓
WHERE APPROPRIATE: KEGS / STICKERS	✓	TRASH CONTAINERS	✓
VIDEO OR PINBALL MACHINE	0	RESTROOMS	
LIVE ENTERTAINMENT	0	GENERAL CONDITION	✓
JUKE BOX	0	LOCATION	<u>center</u>
LOCATION OF BAR <u>center</u>		SEPARATED	✓
SHAPE OF BAR		PROPERLY MARKED	✓
HOT WATER	✓	VENTILATION	✓
DISINFECTANT SOLUTION	✓	LIGHTING	✓
THREE COMPARTMENT SINK	✓	FUNCTIONING TOILET	✓
FAUCETS / DRAINBOARDS	✓	PROPER SEATS	✓
SEPARATE PKG. GOODS DEPT.	0	SINK	✓
SEPARATE PKG. GOODS STORE	0	HOT / COLD WATER	✓
SELLING HOUSEHOLD AND/OR GROCERY ITEMS	0	FLOORS / WALLS	✓

CODE: ✓ = SATISFACTORY X = UNSATISFACTORY 0 = NOT EXISTING IN ESTABLISHMENT

VIOLATIONS NOTED

INSTRUCTIONS GIVEN TO LICENSEE

[Signature]
SIGNATURE OF LICENSEE OR MANAGER

NOTE

THE ORIGINAL OF THIS SHEET IS GIVEN TO YOU FOR YOUR INFORMATION AND INSTRUCTION. KEEP IT IN A HANDY PLACE UNTIL THE NEXT INSPECTION. INSTRUCTIONS GIVEN BY INSPECTOR SHOULD BE FOLLOWED AND CONDITIONS NOTED AS UNSATISFACTORY CORRECTED.

INSPECTOR'S REMARKS

Fire Permitt Exp. 05-22-15
Health Permitt Exp 06-12-15

Reliable Churchill 11-18-14
317556221

[Signature]
INSPECTOR